

HA Solvent Cleaner Safety Data Sheet

Issue Date February 2024

PRODUCT: HA solvent Cleaner

Other Names: Isoparaffins

Uses: Industrial solvent: cleaning and degreasing and wax removal

UN No.	N/R
Dangerous Goods Class	N/R
Subsidiary Risk	None
Pack Group	N/R
Hazchem	N/R
Poison Schedule	5

Hazardous Nature: This product is classified as hazardous under Australian GHS criteria

Hazardous Categories: Flammable Liquids: 4; Aspiration Toxicant: 1

Exposure Standards: TWA: 1200 mg/m³ (171 ppm); STEL: None specified

Physical Characteristics-Typical

Appearance	Clear, colourless liquid
Boiling Point/ Range (°C):	183 - 208
Flash Point (°C):	> 63
Specific Gravity/ Density (g/ml @ 15°C):	0.776
Chemical Stability:	Stable at room temperature and pressure

Product Ingredients

Chemical Ingredient	Cas.No.	%v/v
Naptha (Petroleum), hydrotreated heavy	64742-48-9	100



Hazard Statements

H227: Combustible liquid

H304: May be fatal if swallowed and enters airways

Definitions

Dangerous Goods

Products that are classified as Dangerous for Storage and Transport: these products are allocated a UN No., with accompanying Class, Pack Group, and Sub. Risk, if required. Products that do not have a specific description under the code, but have low flash points, or such, must be classified under their most significant risk, eg. Flammable Goods N.O.S. (Not otherwise specified), UN 1993

Poisonous Substance

Products that are classified under the poisons schedule are a poisonous substance. The proportion of the poison in the product will determine its numerical classification.

Hazardous Substance

Products are considered to be Hazardous if they pose an intrinsic risk to human or environmental health, such as mutagens (able to change DNA), teratogens (able to result in birth defects), carcinogens (able to generate cell abnormalities), etc. Materials are not hazardous substances if they pose risks such as potential for misuse, like flammability, or explosions when heated and ignited.

1. Identification

Product Name:

HA Solvent Cleaner

Other Names:	Isoparaffins
Chemical Family:	Isoparaffinic hydrocarbon
Recommended Use:	Industrial solvent: cleaning and degreasing and wax removal
Supplier:	United Biosciences Pty Ltd
ABN:	82 086 998 718
Street Address:	11 Spanish Court Carindale QLD 4152
Telephone:	07-32192964
Fax:	07-32192974
Emergency phone:	CHEMCALL: 1800 127 406

2. Hazardous Identification

Health Hazard Classification

This product is classified as hazardous under Australian GHS criteria

Hazard Categories

Flammable Liquids: 4; Aspiration Toxicant: 1

Hazardous Statement

Combustible Liquid

GHS Pictograms



Hazardous Statements

H227: Combustible liquid
H304: May be fatal if swallowed and enters airways

Precautionary Statements

P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P262: Do not get in eyes, on skin, or on clothing.
P243: Take precautionary measures against static discharge.
P378: Use sand, earth, or chemical foam to extinguish.
P301+312+101: IF SWALLOWED: Call a POISON CENTER/doctor, if you feel unwell, and have product container or label at hand.

Dangerous Goods Classification N/R

Poisons Schedule 5

Signal Word Danger

3. Composition: Information on Ingredients

Chemical Ingredient	Cas No.	Proportion %W/V
Naptha (Petroleum), hydrotreated heavy	64742-48-9	100

4. First Aid Measures

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

Eye Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Contact

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

Inhalation

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek immediate medical attention.

First Aid facilities

Provide eye baths and safety showers.

Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis.

5. Fire Fighting Measures

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Material Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Dry chemical or foam

Hazards from combustion products

Carbon dioxide and carbon monoxide

Precautions for fire fighters and special protective equipment

Full protective clothing and self-contained breathing apparatus

Hazchem Code:

N/R

6. Accidental Release Measures

Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum. Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Methods and materials for containment**Major Land Spill**

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard.
- Prevent liquid from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimize the effect on the ground water.
- Contain the spilled liquid with sand or earth.
- Recover by pumping – use explosion proof pump or hand pump – or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See “First Aid Measures” and “Stability and Reactivity”

Major Water Spill

- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See “First Aid Measures” and “Stability and Reactivity”.

7. Handling and Storage

Precautions for safe handling

This product is combustible. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static charge. Use grounding leads to avoid discharge (electrical spark).

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Do not pressurize, cut, heat or weld containers - residual vapours are combustible. This product will fuel a fire in progress.

Incompatible materials

Natural Rubber, Butyl Rubber, EPDM, Polystyrene

8.Exposure Controls: Personal Protection

National Exposure Standards

The time weighted average concentration (TWA) for this product is: 1200 mg/m³ (171 ppm), which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short-term exposure limit (STEL) is: None specified, which is the maximum allowable exposure concentration at any time.

Biological limit values

Not available

Engineering Controls: Ventilation

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment

Respiratory Protection: Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

9.Physical and Chemical Properties

Appearance	-	Clear, colourless liquid
Boiling Point/ Range	°C	183 – 208
Flash Point	°C	> 63
Density @ 15°C	g/ml	0.776
Vapour Pressure @ 20°C	kPa	0.07
Explosive Limits (LEL – UEL)	%	0.7 – 5.3
Vapour Density @ 20°C	kPa	> 1.00
Autoignition Temperature	°C	> 200
Viscosity @ 25°C	cSt	1.64
Percent Volatiles	%	100
Solubility with Water	% w/w	< 0.10

10.Stability and Reactivity

Chemical Stability

Stable at room temperature and pressure

Conditions to avoid

Sources of heat and ignition, open flames.

Hazardous decomposition products

Carbon monoxide, carbon dioxide, and other organic complexes on incomplete burning or oxidation

Hazardous reactions

Oxidizing agents, mineral acids, halogenated organic compounds

Hazardous Polymerization

Will not occur

11.Toxicological Information

Acute Effects**Ingestion**

Small amounts of liquid aspirated into the lungs during ingestion, or from vomiting, may cause chemical pneumonitis, or pulmonary oedema. Ingesting large amounts of this product will result in headaches, nausea, dizziness, and discomfort on swallowing.

Eye Contact

This product is irritating to eyes, but will not permanently damage the eye tissue

Skin Contact

This product is irritating to the skin with prolonged exposure. It may result in dryness and cracking.

Inhalation

Inhalation of this product will yield mild discomfort in large quantities. Vapour concentrations are irritating to nose and throat. Overexposure may be evident through dizziness, nausea, headaches and other central nervous system effects.

Chronic Effects

No chronic health data is available for this product.

Other Health Effects Information

May cause drowsiness or dizziness.

Toxicological Information

Oral LD₅₀: LD₅₀ > 5000 mg/kg

Dermal TC_{Lo}: LC₅₀ > 5000 mg/m³

12. Ecological Information

Ecotoxicity

Aquatic Toxicity Fish Toxicity (rainbow trout, goldfish, bluegill):	LC ₅₀ (96hr): Based on data for a similar component or preparation, this product is expected to be toxic to aquatic organisms.
Daphnia Magna EC ₅₀ (24 hr):	Not available
Blue-green algae (Toxicity threshold 7-8 days):	Not available
Green algae (Toxicity threshold 7-8 days):	Not available

13. Disposal

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

Special Precautions for Landfill or Incineration

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product is ash less and can be burned directly in appropriate equipment.

14. Transport Information Road, Marine and Air Transport

Proper Shipping Name	Isoparaffins	Proper Shipping Name	Isoparaffins	Proper Shipping Name	Isoparaffins
DG Class	N/R	DG Class	N/R	DG Class	N/R
Sub. Risk	None	Sub. Risk	None	Sub. Risk	None
Pack Group	N/R	Pack Group	N/R	Pack Group	N/R
Hazchem	N/R	Hazchem	N/R	Hazchem	N/R

15.Regulatory Information

Country/ Region: Australia

Inventory: AICS

Status: Listed

Poisons Schedule: 5

Other Information

Reasons for Issue: Amalgamated supplier changes in all sections

Abbreviations:

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

IARC: International Agency for Research on Cancer

NOHSC: National Occupational Health and Safety Council

GHS: Global Harmonized System

References:

- Supplier Material Safety Data Sheets
- <http://chem.sis.nlm.nih.gov/chemidplus> (May 16)
- <http://hsis.ascc.gov.au/SearchHS.aspx> (May 16)
- Ecotoxicology data: http://cfpub.epa.gov/ecotox/quick_query.htm (May 16)
- *Sax's Dangerous Properties of Industrial Materials*, Richard J. Lewis Snr., pub. Canada (2000)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact United Biosciences.



11 Spanish Ct Carindale QLD 4152
Phone: 07-32192964
Email: sales@unitedbiosciences.com.au
Web: www.unitedbiosciences.com.au